



## MATERIAL SAFETY DATA SHEET

### Section 1 – Chemical Product / Company Information

**Product Name:** CAFCO® SprayFilm® WB5™ **Effective Date:** 11/23/11  
**Manufacturer:** Isolatek International  
41 Furnace Street **Supersedes:** 10/7/10  
Stanhope, NJ 07874 USA **Preparer:** R&D Department  
973-347-1200 **Product Use:** Fire Protection  
**CHEMTREC Transportation**  
**Emergency Phone #:** 800-424-9300 / 703-527-3887 (Intl.) **Usage Restrictions:** None known

### Section 2 – Composition / Information On Ingredients

| CAS         | Component               | Wt. % less than |
|-------------|-------------------------|-----------------|
| Proprietary | Proprietary Component 1 | 10              |
| Proprietary | Proprietary Component 2 | 10              |
| Proprietary | Proprietary Component 3 | 10              |
| Proprietary | Proprietary Component 4 | 10              |

#### Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Titanium compounds, Glass wool fiber.

### Section 3 – Hazards Identification

**NFPA Ratings: Health: 2 Fire: 1 Reactivity: 0**  
**Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe**

#### Emergency Overview:

Color: white  
Physical Form: paste  
Odor: mild, minty odor

#### POTENTIAL EFFECTS OF OVEREXPOSURE

**Inhalation:** Irritation, cough, nausea, difficulty breathing

**Skin:** Irritation

**Eye:** Irritation

**Ingestion:** Gastrointestinal irritation, stomach pain, diarrhea

### Section 4 – First Aid Measures

**Skin Contact:** Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if needed. Thoroughly clean and dry contaminated clothing and shoes before use.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

**Inhalation:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

**Ingestion:** If swallowed, do not induce vomiting. Get medical attention.

### Section 5 – Fire Fighting Measures

See Section 9 for Flammability Properties

#### Flammable Properties

Slight fire hazard.

#### Extinguishing Media

Regular dry chemical, carbon dioxide, water, foam

#### Unsuitable Extinguishing Media

High-pressure water streams

#### Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

#### Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

#### Hazardous Combustion Products

**Combustion:** ammonia, oxides of carbon, oxides of nitrogen, oxides of phosphorus, oxides of titanium

## Section 6 – Accidental Release Measures

#### Occupational spill/release

Stop leak if possible without personal risk. **Small spills:** Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Keep unnecessary people away, isolate hazard area and deny entry.

## Section 7 – Handling And Storage

#### Handling Procedures

Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling.

#### Storage Procedures

Store in accordance with all current regulations and standards. Avoid extreme heat and cold. Store above freezing. Keep separated from incompatible substances such as strong acids, bases or oxidants.

## Section 8 – Exposure Controls / Personal Protection

#### Component Exposure Limits

##### Proprietary Component 1 (Proprietary)

**ACGIH:** 10 mg/m<sup>3</sup> TWA

**NIOSH:** 5000 mg/m<sup>3</sup> IDLH

**OSHA (US):** 15 mg/m<sup>3</sup> TWA (total dust)

**Mexico:** 10 mg/m<sup>3</sup> TWA (as Ti)

20 mg/m<sup>3</sup> STEL (as Ti)

##### Proprietary Component 3 (Proprietary)

**ACGIH:** 10 mg/m<sup>3</sup> TWA

**NIOSH:** 10 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable dust)

**OSHA (US):** 15 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable fraction)

**Mexico:** 10 mg/m<sup>3</sup> TWA

20 mg/m<sup>3</sup> STEL

##### Proprietary Component 4 (Proprietary)

**ACGIH:** 1 fiber/cm<sup>3</sup> TWA (respirable fibers: length >5 µm, aspect ratio ≥3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination)

**NIOSH:** 3 fiber/cm<sup>3</sup> TWA (fibers ≤ 3.5 µm in diameter and ≥ 10 µm in length); 5 mg/m<sup>3</sup> TWA (total)

#### Ventilation

Provide ventilation to ensure compliance with applicable exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT

##### Eyes/Face

Wear splash resistant safety goggles.

##### Protective Clothing

Wear typical long sleeve work clothing or a "TYVEK<sup>®</sup>" type suit.

##### Glove Recommendations

Wear cloth, rubber or latex type gloves.

##### Respiratory Protection

A dust mask should be used in cases where individuals are exposed to airborne mists of the material.

## Section 9 – Physical And Chemical Properties

|                               |                  |                                      |                  |
|-------------------------------|------------------|--------------------------------------|------------------|
| <b>Physical State:</b>        | Liquid           | <b>Appearance:</b>                   | White paste      |
| <b>Color:</b>                 | white            | <b>Physical Form:</b>                | paste            |
| <b>Odor:</b>                  | mild, minty odor | <b>Odor Threshold:</b>               | Not available    |
| <b>pH:</b>                    | 7-9              | <b>Melting/Freezing Point:</b>       | Not available    |
| <b>Boiling Point:</b>         | 210-215 °F       | <b>Decomposition:</b>                | 300 °F (initial) |
| <b>Flash Point:</b>           | >200 °F (SCC)    | <b>Evaporation Rate:</b>             | 1 (water=1)      |
| <b>LEL:</b>                   | Not available    | <b>UEL:</b>                          | Not available    |
| <b>Vapor Pressure:</b>        | Not available    | <b>Vapor Density (air = 1):</b>      | Not available    |
| <b>Density:</b>               | Not available    | <b>Specific Gravity (water = 1):</b> | 1.1 – 1.5        |
| <b>Water Solubility:</b>      | partial (~30%)   | <b>Auto Ignition:</b>                | Not available    |
| <b>Coeff. Water/Oil Dist:</b> | Not available    | <b>VOC:</b>                          | 0 g/L            |
| <b>Volatility:</b>            | Not available    | <b>Oxidizing Properties:</b>         | Not available    |
| <b>Burning Rate:</b>          | Not available    | <b>Explosive Properties:</b>         | Not available    |

## Section 10 – Stability And Reactivity

### Chemical Stability

Stable at normal temperatures and pressure.

### Conditions to Avoid

Avoid high temperatures or freezing. Avoid contact with incompatible materials.

### Materials to Avoid

Oxidizing materials

### Hazardous Decomposition

**Combustion:** ammonia, oxides of carbon, oxides of nitrogen, oxides of phosphorus, oxides of titanium

### Possibility of Hazardous Reactions

Will not polymerize.

## Section 11 – Toxicological Information

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Proprietary Component 1 (Proprietary)

Oral LD50 Rat >10000 mg/kg

#### Proprietary Component 2 (Proprietary)

Oral LD50 Rat 3161 mg/kg; Dermal LD50 Rabbit >1000 mg/kg

#### Proprietary Component 3 (Proprietary)

Oral LD50 Rat 10000 mg/kg

## Section 12 – Ecological Information

### Component Analysis - Aquatic Toxicity

#### Proprietary Component 2 (Proprietary)

**Fish:** 96 Hr LC50 *Poecilia reticulata*: >3000 mg/L

**Algae:** 96 Hr EC50 *Scenedesmus pannonicus*: 940 mg/L

**Invertebrate:** 48 Hr EC50 *Daphnia magna*: >2000 mg/L

#### Proprietary Component 3 (Proprietary)

**Fish:** 48 Hr LC50 *Oryzias latipes*: 50000 mg/L [semi-static]

**Invertebrate:** 24 Hr EC50 *Daphnia magna*: 38900 mg/L; 48 Hr EC50 *Daphnia magna*: 30477 - 37043 mg/L [static]

## Section 13 – Disposal Information

### Disposal Methods

Dispose in accordance with all applicable regulations.

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

## Section 14 – Transportation Information

**US DOT Information:** Not regulated.

## Section 15 – Regulatory Information

### U.S. Federal Regulations

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA 311/312

Acute Health: Yes Chronic Health: No Fire: No Pressure: No Reactive: No

#### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component  | CAS         | CA               | MA               | MN               | NJ               | PA               | RI               |
|--|-------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Proprietary Component 1                                | Proprietary | No               | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> |
| Proprietary Component 2                                | Proprietary | No               | Yes              | No               | No               | Yes              | No               |
| Proprietary Component 3                                | Proprietary | No               | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> |
| Proprietary Component 4 (related to: Glass wool fiber) | Proprietary | Yes <sup>1</sup> | Yes <sup>1</sup> | Yes <sup>1</sup> | No               | Yes <sup>1</sup> | Yes <sup>1</sup> |

<sup>1</sup>. In an airborne (dry or wet mist) form.

#### California Proposition 65

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

**WARNING! This product contains a chemical known to the State of California to cause cancer.**

#### U.S. Inventory (TSCA)

All the components of this substance are listed on or are exempt from the inventory.

#### Component Analysis - Inventory

| Component               | CAS         | US  |
|-------------------------|-------------|-----|
| Proprietary Component 1 | Proprietary | Yes |
| Proprietary Component 2 | Proprietary | Yes |
| Proprietary Component 3 | Proprietary | Yes |
| Proprietary Component 4 | Proprietary | Yes |

#### International Regulation

Canadian WHMIS Class D, Division 2B

### Section 16 – Other Information

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; C - Celsius; CAS - Chemical Abstracts Service; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

#### Other Information

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. **VENDOR SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** In no event shall the vendor be liable for special, indirect or consequential damages.

Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes all risks in his use of the material.

"RTECS®" is a United States trademark owned and licensed under authority of the U.S. Government, by and through Symyx Software, Inc. Portions ©Copyright 2010, U.S. Government. All rights reserved.

#### Summary of Changes

New SDS: 10/7/2010